



appliances for drinking water at its best



BRAVO DP AQUASTOP-Direct undersink filters have been designed for the production of good and pure water directly at the point of use and are provided with a self water-stopper device to make maintenance operations easier than ever. The filters can be easily installed under the kitchen sink with a special connection kit for the **direct connection** to the main faucet: there is no need of making holes on the sink counter. All the cold water is purified and can be used for drinking, cooking and preparing of foods and drinks.

BRAVO DP AQUASTOP DIRECT

Filter cartridge



THE EASIEST WAY TO CHANGE



Filter housings made in PET, a highly recyclable plastic, are manufactured with a proprietary procedure saving up to 60% of energy in injection molding compared with standard plastics. That is one of Atlas Filtri commitments to comply with Kyoto Treaty for the reduction of green house gas (CO₂) emissions in the atmosphere.

COMPANY WITH QUALITY MANAGEMENT
SYSTEM CERTIFIED BY DNV
= ISO 9001:2008 =



ASSOCIAZIONE AQUA ITALIA

▶▶▶▶▶ more to drink

BRAVO DP AQUASTOP-Direct

undersink filters for drinking water at its best
with direct connection to main faucet

BRAVO DP AQUASTOP-Direct performs Patented and Registered Model Housings.

Thanks to the single head design, BRAVO DP AQUASTOP-Direct Duo and Trio have no need for connections nor fittings in between the housings, no work for connections and no risk of leaking. The housing head is stronger and more reliable than ever.

In addition, thanks to the design, the width is dramatically reduced **saving space for the installation.**

MAX WORKING PRESSURE 8 BAR

MAX WORKING TEMPERATURE 45°C



HOUSING MONO
REGISTERED MODEL
SPACE SAVING

| Model | Cartridges assortment | flow l/m |
|------------------------------------|-----------------------|----------|
| BRAVO DP AQUASTOP-Direct MONO BT | BT PP LA 5 mcr | 6 |
| BRAVO DP AQUASTOP-Direct MONO CB | CB 5 mcr | 6 |
| BRAVO DP AQUASTOP-Direct MONO AB | AB 0,45 mcr | 4 |
| BRAVO DP AQUASTOP-Direct MONO CASE | CA-SE 0,3 mcr | 4 |
| BRAVO DP AQUASTOP-Direct MONO HF | CA-SE HF 0,15 mcr | 6 |

| Model | Cartridges assortment | flow l/m |
|--------------------------------------|------------------------------|----------|
| BRAVO DP AQUASTOP-Direct DUO FA-LA | FA 5 mcr + LA | 6 |
| BRAVO DP AQUASTOP-Direct DUO FA-CB | FA 5 mcr + CB 5 mcr | 6 |
| BRAVO DP AQUASTOP-Direct DUO FA-AB | FA 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP AQUASTOP-Direct DUO FA-CASE | FA 5 mcr + CA-SE 0,3 mcr | 4 |
| BRAVO DP AQUASTOP-Direct DUO FA-HF | FA 5 mcr + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP AQUASTOP-Direct DUO PP-LA | PP 5 mcr + LA | 6 |
| BRAVO DP AQUASTOP-Direct DUO PP-CB | PP 5 mcr + CB 5 mcr | 6 |
| BRAVO DP AQUASTOP-Direct DUO PP-AB | PP 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP AQUASTOP-Direct DUO PP-CASE | PP 5 mcr + CA-SE 0,3 mcr | 4 |
| BRAVO DP AQUASTOP-Direct DUO PP-HF | PP 5 mcr + CA-SE HF 0,15 mcr | 6 |



HOUSING DUO
REGISTERED MODEL
PATENT PENDING
SPACE SAVING



HOUSING TRIO
REGISTERED MODEL
PATENT PENDING
SPACE SAVING

| Model | Cartridges assortment | flow l/m |
|--|---|----------|
| BRAVO DP AQUASTOP-Direct TRIO FA-CB-AB | FA 5 mcr + CB 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP AQUASTOP-Direct TRIO FA-LA-CASE | FA 5 mcr + LA + CA-SE 0,3 mcr | 4 |
| BRAVO DP AQUASTOP-Direct TRIO FA-LA-HF | FA 5 mcr + LA + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP AQUASTOP-Direct TRIO FA-CB-HF | FA 5 mcr + CB 5 mcr + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP AQUASTOP-Direct TRIO PP-CB-AB | PP 5 mcr + CB 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP AQUASTOP-Direct TRIO PP-LA-CASE | PP 5 mcr + LA + CA-SE 0,3 mcr | 4 |
| BRAVO DP AQUASTOP-Direct TRIO PP-LA-HF | PP 5 mcr + LA + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP AQUASTOP-Direct TRIO PP-CB-HF | PP 5 mcr + CB 5 mcr + CA-SE HF 0,15 mcr | 6 |

Flow rate in litres per minute (l/m) is the average water flow from the dedicated tap (filtered water) using a new cartridge. The flow rate may vary in function of water quality and time in service (life-span) of the cartridges. Life-span is the average working life of the cartridge. It depends on the water quality, which is an extremely variable factor: life-span is indicated for a mains water supply with average european characteristics. BRAVO DP AQUASTOP-Direct are not potable water-makers: control the water quality before installation.

BRAVO DP CASE AQUASTOP-Direct

portable undersink filters for drinking water
at its best with direct connection to main faucet

BRAVO DP CASE AQUASTOP-Direct performs the Patented and Registered DP Trio housings.

This model can be used under the kitchen sink, keeping the housing and connection sheltered and protected by its robust case. Portability and easy connections make this filter a convenient solution when moving to other places where water filtration is required: bring your pure water along with you ever!


MAX WORKING PRESSURE 8 BAR

MAX WORKING TEMPERATURE 45°C


| Model | Cartridges assortment | flow l/m |
|---|---|----------|
| BRAVO DP CASE AQUASTOP-Direct TRIO FA-CB-AB | FA 5 mcr + CB 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP CASE AQUASTOP-Direct TRIO FA-LA-CASE | FA 5 mcr + LA + CA-SE 0,3 mcr | 4 |
| BRAVO DP CASE AQUASTOP-Direct TRIO FA-LA-HF | FA 5 mcr + LA + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP CASE AQUASTOP-Direct TRIO FA-CB-HF | FA 5 mcr + CB 5 mcr + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP CASE AQUASTOP-Direct TRIO PP-CB-AB | PP 5 mcr + CB 5 mcr + AB 0,45 mcr | 4 |
| BRAVO DP CASE AQUASTOP-Direct TRIO PP-LA-CASE | PP 5 mcr + LA + CA-SE 0,3 mcr | 4 |
| BRAVO DP CASE AQUASTOP-Direct TRIO PP-LA-HF | PP 5 mcr + LA + CA-SE HF 0,15 mcr | 6 |
| BRAVO DP CASE AQUASTOP-Direct TRIO PP-CB-HF | PP 5 mcr + CB 5 mcr + CA-SE HF 0,15 mcr | 6 |











accessories included



accessories available



cartridges assortment

| | | | |
|--|---|---|--|
|  <p>FA 5 micron SEDIMENT. Wound polypropylene filter. Filtration of sand, scales, lime, rust, fine particles. Life-span: 3-6 months.</p> |  <p>PP/CPP 5 micron SEDIMENT. Melt-blown polypropylene grooved (PP) or smooth (CPP) filter: high efficiency filtration of fine particles, rust, lime, sand, scales. Life-span: 3-6 months.</p> |  <p>BT PP LA 5 micron SEDIMENT G.A.C. Melt-blown polypropylene filter and Granular Activated Carbon. Filtration of fine particles, rust, lime, sand, scales; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3 months.</p> |  <p>LA CARBON G.A.C. Container with Granular Activated Carbon. Reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3 months.</p> |
|  <p>AB 0,45 micron CERAMIC. Filtration of very fine particles and some micro-organisms. Life-span: 6-12 months. Maintenance: surface scraping every 2-3 months.</p> |  <p>CB 5 micron CARBON BLOCK. Filtration of fine particles (rust, lime, sand, scales); reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 3-6 months.</p> |  <p>CA-SE 0,3 micron CARBON BLOCK. Filtration of very fine particles and some micro-organisms; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 6-12 months. Maintenance: surface scraping every 2-3 months.</p> |  <p>CA-SE HF 0,15 micron CARBON BLOCK. Microfiltration with "hollow-fibre" capillary membranes (STER-O-TAP®) of very fine particles and some micro-organisms; reduction of chlorine (bad tastes, odours) and chloride pollutants (pesticides, solvents, etc). Life-span: 6 months. Maintenance: surface scraping every 2-3 months.</p> |

variants

Cartridges available on demand

GAC-Ag Granular Activated Carbon Silver treated.

QA-AF Anti-nitrate ionic exchange resin.

KDF Heavy-metals and chlorine reduction medium.

CA-SE HF-U Carbon block with "hollow-fibre" ultra-filtration element at 0,02 micron.

Cartridges with double O-ring quick-fit system **BX**.

Remark:
BRAVO DP housings fit to **BX** and standard **SX** (DOE) cartridges.




transparent CASE



blue CASE

INSTALLATION SCHEME



SPARE PARTS FOR KIT BRAVO DP AQUASTOP-Direct

